

PCT

2007P76564  
WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



33

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification <sup>7</sup> : <b>H04R</b></p>	<p><b>A2</b></p>	<p>(11) International Publication Number: <b>WO 00/54548</b> (43) International Publication Date: 14 September 2000 (14.09.00)</p>
<p>(21) International Application Number: PCT/GB00/00773 (22) International Filing Date: 6 March 2000 (06.03.00) (30) Priority Data: 9905038.7 5 March 1999 (05.03.99) GB (71) Applicant (for all designated States except US): NEW TRANS- DUCERS LIMITED [GB/GB]; 37 Ixworth Place, London SW3 3QH (GB). (72) Inventor; and (75) Inventor/Applicant (for US only): AZIMA, Henry [CA/GB]; 3 Southacre Close, Chaucer Road, Cambridge CB2 2TT (GB). (74) Agent: MAGUIRE BOSS; 5 Crown Street, St. Ives, Cam- bridgeshire, PE17 4EB (GB).</p>		<p>(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p><b>Published</b> Without international search report and to be republished upon receipt of that report.</p>
<p>(54) Title: ELECTRONIC APPARATUS</p> <p>(57) Abstract</p> <p>Electronic apparatus incorporating a loudspeaker, wherein the loudspeaker comprises a bending wave panel member having a user-accessible surface, an electro-acoustic vibration exciter on the panel member to introduce bending wave energy into the panel member in response to an electrical signal applied thereto, and at least one touch sensitive area on or associated with the said user-accessible surface and responsive to user contact.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

5

TITLE:      ELECTRONIC APPARATUS

10

DESCRIPTION

15

TECHNICAL FIELD

The invention relates to electronic or electrical apparatus (hereinafter 'electronic apparatus' in the following description and claims) incorporating a  
20 loudspeaker, more particularly a bending wave panel loudspeaker, e.g. of the kind described in WO97/09842.

BACKGROUND ART

Loudspeakers as described in WO97/09842 are known as  
25 distributed mode, or DM, loudspeakers and it is also known from WO97/09842 to teach the incorporation of bending wave panel loudspeakers in electronic apparatus such as portable compact-disc players, laptop computers, musical instruments

and vending machines etc.

It is an object of the invention to enhance the functionality of electronic apparatus incorporating a bending wave loudspeaker to enable direct user input, e.g. to control or operate the electronic apparatus. Such apparatus may be of widely different kinds, e.g. cellular telephones, vending machines, domestic appliances etc.

#### DISCLOSURE OF INVENTION

10 According to the invention, there is provided electronic apparatus incorporating a loudspeaker, wherein the loudspeaker comprises a bending wave panel member having a user-accessible surface, a vibration exciter on the panel member to introduce bending wave energy into the  
15 panel member in response to an electrical signal applied thereto, and at least one touch sensitive area on or associated with the said user-accessible surface and responsive to user contact. Thus the user responsive means may act as a touch control means, e.g. whereby the user can  
20 enter instructions or provide information or otherwise control the use of the electronic equipment.

Preferably the panel member has the capability to sustain and propagate input vibrational energy by a plurality of resonant bending wave modes in at least one  
25 operative area extending transversely of thickness, wherein the frequencies of resonant bending wave modes are interleaved in a predetermined frequency range so that resonant bending wave modes are substantially evenly

distributed in frequency and wherein the vibration exciter is mounted on said operative area of the panel member, at a preferential location or site for coupling to the resonant bending wave modes, to vibrate the panel member and excite  
5 said resonant bending wave modes in the panel member, the resonant bending wave modes in turn producing an acoustic output.

Thus for example the loudspeaker may form a control panel, e.g. for operating a vending machine of the kind  
10 described in WO97/09842. The invention is thus applicable to any electronic apparatus incorporating a bending wave speaker panel where a person is able to touch a portion of the panel surface, and may comprise pads or areas or switches or buttons which provide a means for instructions  
15 or information to be entered to the electronic apparatus. Pressure switches may also be attached to the panel surface or embedded within the bending wave panel.

The speaker panel may incorporate other methods for presence sensing, including matrices of photodiodes and/or  
20 photocells round the perimeter of the panel and which sense the position, e.g. of a finger directed at a point on the panel. Where metallised contacts are used these may be of the metal oxide film or thin metal film type.

Applications include touch screen control for  
25 translucent display and lighting bending wave panel speakers, and for automated ticket machine (ATM) and vending machine applications. Many other categories are indicated for example in consumer electronics such as a

speaking or sound informing touch panel for a remote control unit, whether illuminated or not. The inventive concept may be applied to a mobile telephone display of suitable area e.g. to combine a display, a loudspeaker and  
5 a control panel with illumination.

User feedback of control settings via the speaker panel with incorporated switch buttons would find utility in the control sections of hi-fi and audio equipment, particularly where complex setting up is required for  
10 example in home theatre systems. Also domestic appliances, e.g. dishwashers, and clothes washing machines would benefit from the addition of this technology, as would industrial instrumentation, display orientated instructions such as analysers and oscilloscopes. The invention could  
15 be applied to laptop and other computer controls, points of sales data systems, personal, stock control and labelling devices, and also to automotive navigation units, automotive dashboard displays with a bending wave panel speaker, point of sale products with sound output and  
20 facility for user/customer data entry or control of operational information, and similarly for educational display units for museums, zoos etc, including interactive audio visual devices.

25

#### BRIEF DESCRIPTION OF DRAWINGS

The invention is diagrammatically illustrated, by way of example, in the accompanying drawing which is a perceptive view showing a vending machine incorporating a bending wave

panel loudspeaker/touch pad.

BEST MODE FOR CARRYING OUT THE INVENTION

In the drawing there is shown a vending machine or ATM  
5 (1) comprising a generally rectangular cabinet (3) having  
an inclined front face (10) carrying a control panel (2)  
and a delivery chute (4) for dispensed articles below the  
control panel (2).

The control panel (2) is in the form of a generally  
10 rectangular resonant bending wave panel speaker (5) of the  
general kind described in WO97/09842 and which is excited  
by a vibration exciter (9) mounted on the inner face of the  
panel speaker (5) so as not to be visible externally. The  
speaker panel is supported in a suspension (7), which could  
15 be resilient or clamped, supported in the front face (10)  
of the cabinet.

The visible face of the control panel/speaker is  
printed with information (6) as to nature of the articles  
or products to be dispensed and the information has  
20 associated therewith touch sensitive panels (8) so that a  
purchaser can input an instruction by manual contact with  
the panels (8) in a manner known per se. The instructions  
can be confirmed and/or information can be reinforced by an  
audio output from the machine (1) delivered by the speaker  
25 (5). It will be appreciated that the machine will require  
associated electronic equipment to replay stored audio  
messages and to receive input information from the touch  
pads, but such electronic equipment is generally

conventional.

This unique combination is possible because in contrast to the fragile cone of a conventional speaker, which may be easily damaged by finger contact, and would not sustain the finger pressures of reliable touch pad actuation, a bending panel speaker is tough, indeed may be made of vandal proof materials and is relatively unaffected by finger contact. Thus the panel which forms the interface to the user/customer is an integration of speaker and user data entry at the point of input and the speaker can provide verbal reply to the data entered in addition to leading the user through the usual questions associated with a sale.

The touch pads may have a surface embossing or similar so that persons of impaired sight may use the keyboard represented by the touch pads and be helped by the relevant audio feedback from the speaker/touch pads and be helped by the relevant audio feedback from the speaker/touch pad device.

Evidently other applications for the device may be found for the control panels of many appliances such as washing machines, toasters etc. room thermostats sound and light controllers, burglar alarm control panels. Also automotive controls panels where the speaker device may also be an integral part of trim or constructional parts such as the dashboard.

The touch sensing may be capacitative or pressure sensitive via thin laminated films, or be micro reflex



switches, or by paired and/or interdigitated conductive regions.

INDUSTRIAL APPLICABILITY

- 5       The invention thus provides a resonant panel loudspeaker of increased functionality.

CLAIMS


1. Electronic apparatus incorporating a loudspeaker, wherein the loudspeaker comprises a bending wave panel member having a user-accessible surface, an electro-  
5 acoustic vibration exciter on the panel member to introduce bending wave energy into the panel member in response to an electrical signal applied thereto, and at least one touch sensitive area on or associated with the said user-accessible surface and responsive to user contact.
- 10 2. Apparatus according to claim 1, wherein the panel member has the capability to sustain and propagate input vibrational energy by a plurality of resonant bending wave modes in at least one operative area extending transversely of thickness, wherein the frequencies of resonant bending  
15 wave modes are interleaved in a predetermined frequency range so that resonant bending wave modes are substantially evenly distributed in frequency and wherein the vibration exciter is mounted on said operative area of the panel member, at a preferential location or site for coupling to  
20 the resonant bending wave modes, to vibrate the panel member and excite said resonant bending wave modes in the panel member, the resonant bending wave modes in turn producing an acoustic output.
3. Apparatus according to claim 1 or claim 2,  
25 wherein the said at least one touch sensitive area comprises a pad, switch or button which provides a means for instructions or information to be entered.
4. Electronic apparatus according to claim 1 or

claim 2, comprising written instructions on the bending wave panel member and associated with the at least one touch sensitive area.

5. A vending machine comprising a control panel and  
5 a delivery chute for dispensed product, wherein the control panel incorporates a bending wave panel loudspeaker having a user-accessible surface, an electro- acoustic vibration exciter on the panel to introduce bending wave energy into the panel in response to an electrical signal applied  
10 thereto, at least one touch sensitive area on or associated with the said user-accessible surface and responsive to user contact and visible instructions on the panel and associated with the at least one touch sensitive area.

6. A vending machine according to claim 5, wherein  
15 the panel member has the capability to sustain and propagate input vibrational energy by a plurality of resonant bending wave modes in at least one operative area extending transversely of thickness, wherein the frequencies of resonant bending wave modes are interleaved  
20 in a predetermined frequency range so that resonant bending wave modes are substantially evenly distributed in frequency and wherein the vibration exciter is mounted on said operative area of the panel at a preferential location or site for coupling to the resonant bending wave modes, to  
25 vibrate the panel and excite said resonant bending wave modes in the panel, the resonant bending wave modes in turn producing an acoustic output.

Figure 1



(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
14 September 2000 (14.09.2000)

PCT

(10) International Publication Number  
**WO 00/54548 A3**

(51) International Patent Classification<sup>7</sup>: **H04R 1/02**,  
7/06, G07F 11/00, 9/02

(21) International Application Number: PCT/GB00/00773

(22) International Filing Date: 6 March 2000 (06.03.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
9905038.7 5 March 1999 (05.03.1999) GB

(71) Applicant (for all designated States except US): **NEW  
TRANSDUCERS LIMITED** [GB/GB]; 37 Ixworth Place,  
London SW3 3QH (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **AZIMA, Henry**  
[CA/GB]; 3 Southacre Close, Chaucer Road, Cambridge  
CB2 2TT (GB).

(74) Agent: **MAGUIRE BOSS**; 5 Crown Street, St. Ives, Cam-  
bridgeshire, PE17 4EB (GB).

(81) Designated States (*national*): AE, AL, AM, AT, AU, AZ,  
BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK,  
DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,  
IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,  
LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT,  
RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA,  
UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent  
(AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent  
(AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU,  
MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM,  
GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published:

— With international search report.

(88) Date of publication of the international search report:  
4 January 2001

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

(54) Title: **ELECTRONIC APPARATUS INCORPORATING A LOUDSPEAKER COMPRISING A BENDING WAVE PANEL  
MEMBER**



(57) Abstract: Electronic apparatus incorporating a loudspeaker, wherein the loudspeaker comprises a bending wave panel member having a user-accessible surface, an electro-acoustic vibration exciter on the panel member to introduce bending wave energy into the panel member in response to an electrical signal applied thereto, and at least one touch sensitive area on or associated with the said user-accessible surface and responsive to user contact.

WO 00/54548 A3

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 00/00773

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04R1/02 H04R7/06 G07F11/00 G07F9/02

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G07F H04R

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 97 09842 A (AZIMA HENRY ; HARRIS NEIL (GB); COLLOMS MARTIN (GB); VERITY GROUP P) 13 March 1997 (1997-03-13) cited in the application	1,5
A	page 77, line 28 -page 78, line 29; figures 47,48	2
Y	GB 2 289 360 A (OMC ELECTRONICS LIMITED) 15 November 1995 (1995-11-15)	1,5
A	page 1, line 2 -page 3, line 19; figures	3,4,6
A	US 5 482 139 A (RIVALTO MICHAEL A) 9 January 1996 (1996-01-09) column 2, line 26 -column 3, line 62; figures 2,5	5,6
	-/-	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

## \* Special categories of cited documents :

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*&amp;\* document member of the same patent family

Date of the actual completion of the international search

8 September 2000

Date of mailing of the international search report

15/09/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Gastaldi, G

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 00/00773

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4 554 419 A (KING EDDIE W ET AL) 19 November 1985 (1985-11-19) column 1, line 60 -column 3, line 24; figures	5,6
A	US 5 445 295 A (BROWN GRAHAM) 29 August 1995 (1995-08-29) column 7, line 29 -column 8, line 7; figure 3	5,6

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 00/00773

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9709842 A	13-03-1997	AU 702863 B	11-03-1999
		AU 6880596 A	27-03-1997
		BR 9610355 A	21-12-1999
		DE 69605123 D	16-12-1999
		DE 69605123 T	06-04-2000
		EP 0847661 A	17-06-1998
		JP 11512249 T	19-10-1999
		NZ 316547 A	28-10-1999
		SI 847661 T	29-02-2000
		SK 25398 A	09-09-1998
		AT 177579 T	15-03-1999
		AT 177574 T	15-03-1999
		AT 177580 T	15-03-1999
		AT 177575 T	15-03-1999
		AT 186617 T	15-11-1999
		AT 177581 T	15-03-1999
		AT 177582 T	15-03-1999
		AT 177583 T	15-03-1999
		AT 177578 T	15-03-1999
		AT 177576 T	15-03-1999
		AT 179297 T	15-05-1999
		AT 177577 T	15-03-1999
		AT 179563 T	15-05-1999
		AT 176826 T	15-03-1999
		AT 179045 T	15-04-1999
		AT 179296 T	15-05-1999
		AT 177281 T	15-03-1999
		AT 179564 T	15-05-1999
		AT 177282 T	15-03-1999
		AT 179043 T	15-04-1999
		AT 179044 T	15-04-1999
		AU 702865 B	11-03-1999
		AU 6880196 A	27-03-1997
		AU 702920 B	11-03-1999
		AU 6880296 A	27-03-1997
		AU 702867 B	11-03-1999
		AU 6880396 A	27-03-1997
		AU 703015 B	11-03-1999
		AU 6880496 A	27-03-1997
		AU 702873 B	11-03-1999
		AU 6880696 A	27-03-1997
		AU 702999 B	11-03-1999
		AU 6880796 A	27-03-1997
		AU 703061 B	11-03-1999
		AU 6880896 A	27-03-1997
		AU 703000 B	11-03-1999
		AU 6880996 A	27-03-1997
		AU 703071 B	11-03-1999
GB 2289360 A	15-11-1995	NONE	
US 5482139 A	09-01-1996	AU 692106 B	28-05-1998
		AU 5988196 A	04-09-1996
		CA 2211584 A	22-08-1996
		EP 0752042 A	08-01-1997
		JP 2811373 B	15-10-1998
		JP 9511856 T	25-11-1997
		WO 9625573 A	22-08-1996



# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 00/00773

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4554419 A	19-11-1985	AU 578255 B	20-10-1988
		AU 3582284 A	06-06-1985
		BR 8406120 A	24-09-1985
		CA 1239680 A	26-07-1988
		DE 3443796 A	13-06-1985
		ES 538133 D	01-09-1986
		ES 8609780 A	16-12-1986
		FR 2556116 A	07-06-1985
		GB 2151081 A,B	10-07-1985
		GR 81091 A	07-03-1985
		IT 1178647 B	09-09-1987
		JP 60153591 A	13-08-1985
		KR 9207907 B	19-09-1992
		MX 162297 A	22-04-1991
		ZA 8409116 A	31-07-1985
US 5445295 A	29-08-1995	NONE	

**This Page Blank (uspto)**